# Konga - Sun - SOLAR AND PHOTOVOLTAIC CLEANER
# 2952

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** Konga - Sun - SOLAR AND PHOTOVOLTAIC CLEANER
2952

**Other means of identification:**

**UFI:** FN70-00XJ-4008-Q8UX

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Detergent

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

LEBON TRADING SRL
STRADA FANTANELOR NR.1
135400 PUCIOASA - DAMBOVITA - ROMANIA
Phone: +40 753 315 105
secretariat@lebon.ro
http://www.lebon.ro

**1.4 Emergency telephone number:**

## SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture:**

**CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Flam. Liq. 3: Flammable liquids, Category 3, H226

**2.2 Label elements:**

**CLP Regulation (EC) No 1272/2008:**

**Warning**

**Hazard statements:**

Flam. Liq. 3: H226 - Flammable liquid and vapour.

**Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233: Keep container tightly closed.
P280: Wear protective gloves/protective clothing/eye protection/protective footwear.
P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container according to the separated collection system used in your municipality.

**Supplementary information:**

EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

**UFI:** FN70-00XJ-4008-Q8UX

**Labelling for contents:**

| Component |
|---|
| perfumes |

Preservation agents: (ethylenedioxy)dimethanol (DIMETHYLOL GLYCOL), 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

**2.3 Other hazards:**

- CONTINUED ON NEXT PAGE -

## SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria
Endocrine-disrupting properties: The product does not meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Mixture based on anionic, nonionic and amphotheric surfactants and soap

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification | Chemical name/Classification | | Concentration |
|---|---|---|---|
| CAS: 67-63-0<br>EC: 200-661-7<br>Index: 603-117-00-0<br>REACH: 01-2119457558-25-XXXX | **propan-2-ol**(1) | ATP CLP00 | **2.5 - <10 %** |
| | Regulation 1272/2008 | Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger | |
| CAS: 111-76-2<br>EC: 203-905-0<br>Index: 603-014-00-0<br>REACH: 01-2119475108-36-XXXX | **2-butoxyethanol**(1) | ATP ATP18 | **1 - <2.5 %** |
| | Regulation 1272/2008 | Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger | |
| CAS: 3844-45-9<br>EC: 223-339-8<br>Index: Non-applicable<br>REACH: 01-2120740569-45-XXXX | **C.I.Acid Blue 9**(2) | Not classified | **<1 %** |
| | Regulation 1272/2008 | | |
| CAS: 55965-84-9<br>EC: Non-applicable<br>Index: 613-167-00-5<br>REACH: Non-applicable | **Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**(1) | ATP ATP13 | **<1 %** |
| | Regulation 1272/2008 | Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger | |

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878
(2) Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification | M-factor | |
|---|---|---|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9 EC: Non-applicable | Acute | 100 |
| | Chronic | 100 |

| Identification | Specific concentration limit |
|---|---|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Non-applicable | % (w/w) >=0.6: Skin Corr. 1C - H314<br>0.06<= % (w/w) <0.6: Skin Irrit. 2 - H315<br>% (w/w) >=0.6: Eye Dam. 1 - H318<br>0.06<= % (w/w) <0.6: Eye Irrit. 2 - H319<br>% (w/w) >=0.0015: Skin Sens. 1A - H317 |

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

| Identification | Acute toxicity | | Genus |
|---|---|---|---|
| 2-butoxyethanol | LD50 oral | 1200 mg/kg (ATEi) | Rat |
| CAS: 111-76-2 | LD50 dermal | Non-applicable | |
| EC: 203-905-0 | LC50 inhalation | 3 mg/L (ATEi) | |

## SECTION 4: FIRST AID MEASURES

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

- CONTINUED ON NEXT PAGE -

## SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers ($CO_2$).

**Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

It is recommended to avoid environmental spillage of both the product and its container.

- CONTINUED ON NEXT PAGE -

## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,…) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 5 ºC

Maximum Temp.: 30 ºC

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC,Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupational exposure limits | | |
|---|---|---|---|
| 2-butoxyethanol | IOELV (8h) | 20 ppm | 98 mg/m³ |
| CAS: 111-76-2 EC: 203-905-0 | IOELV (STEL) | 50 ppm | 246 mg/m³ |

**DNEL (Workers):**

- CONTINUED ON NEXT PAGE -

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | Short exposure | | Long exposure | |
|---|---|---|---|---|---|
| | | Systemic | Local | Systemic | Local |
| propan-2-ol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 67-63-0 | Dermal | Non-applicable | Non-applicable | 888 mg/kg | Non-applicable |
| EC: 200-661-7 | Inhalation | Non-applicable | Non-applicable | 500 mg/m³ | Non-applicable |
| 2-butoxyethanol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 111-76-2 | Dermal | 89 mg/kg | Non-applicable | 125 mg/kg | Non-applicable |
| EC: 203-905-0 | Inhalation | 1091 mg/m³ | 246 mg/m³ | 98 mg/m³ | Non-applicable |

**DNEL (General population):**

| Identification | | Short exposure | | Long exposure | |
|---|---|---|---|---|---|
| | | Systemic | Local | Systemic | Local |
| propan-2-ol | Oral | Non-applicable | Non-applicable | 26 mg/kg | Non-applicable |
| CAS: 67-63-0 | Dermal | Non-applicable | Non-applicable | 319 mg/kg | Non-applicable |
| EC: 200-661-7 | Inhalation | Non-applicable | Non-applicable | 89 mg/m³ | Non-applicable |
| 2-butoxyethanol | Oral | Non-applicable | Non-applicable | 6,3 mg/kg | Non-applicable |
| CAS: 111-76-2 | Dermal | 89 mg/kg | Non-applicable | 75 mg/kg | Non-applicable |
| EC: 203-905-0 | Inhalation | 426 mg/m³ | 147 mg/m³ | 59 mg/m³ | Non-applicable |
| C.I.Acid Blue 9 | Oral | Non-applicable | Non-applicable | 6 mg/kg | Non-applicable |
| CAS: 3844-45-9 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 223-339-8 | Inhalation | Non-applicable | Non-applicable | Non-applicable | Non-applicable |

**PNEC:**

| Identification | | | | |
|---|---|---|---|---|
| propan-2-ol | STP | 2251 mg/L | Fresh water | 140,9 mg/L |
| CAS: 67-63-0 | Soil | 28 mg/kg | Marine water | 140,9 mg/L |
| EC: 200-661-7 | Intermittent | 140,9 mg/L | Sediment (Fresh water) | 552 mg/kg |
| | Oral | 0,16 g/kg | Sediment (Marine water) | 552 mg/kg |
| 2-butoxyethanol | STP | 463 mg/L | Fresh water | 8,8 mg/L |
| CAS: 111-76-2 | Soil | 2,33 mg/kg | Marine water | 0,88 mg/L |
| EC: 203-905-0 | Intermittent | 26,4 mg/L | Sediment (Fresh water) | 34,6 mg/kg |
| | Oral | 0,02 g/kg | Sediment (Marine water) | 3,46 mg/kg |

**8.2 Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,…) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---|---|---|---|---|
| Mandatory hand protection | Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | CE CAT III | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

- CONTINUED ON NEXT PAGE -

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---|---|---|---|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | CE CAT II | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer´s instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---|---|---|---|---|
| | Work clothing | CE CAT I | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | CE CAT II | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007 |

F.- Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|---|---|
| Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

| | |
|---|---|
| V.O.C. (Supply): | 7,51 % weight |
| V.O.C. density at 20 ºC: | 76 kg/m³ (76 g/L) |
| Average carbon number: | 4,53 |
| Average molecular weight: | 84,33 g/mol |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

| | |
|---|---|
| Physical state at 20 ºC: | Liquid |
| Appearance: | Fluid |
| Colour: | Blue |
| Odour: | Floral |
| Odour threshold: | Non-applicable * |

**Volatility:**

| | |
|---|---|
| Boiling point at atmospheric pressure: | 82 - 365 ºC |
| Vapour pressure at 20 ºC: | 2385 Pa |
| Vapour pressure at 50 ºC: | 12547,07 Pa (12,55 kPa) |
| Evaporation rate at 20 ºC: | Non-applicable * |

**Product description:**

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | |
|---|---|
| Density at 20 ºC: | 1012,1 kg/m³ |
| Relative density at 20 ºC: | 1,012 |
| Dynamic viscosity at 20 ºC: | Non-applicable * |
| Kinematic viscosity at 20 ºC: | Non-applicable * |
| Kinematic viscosity at 40 ºC: | Non-applicable * |
| Concentration: | Non-applicable * |
| pH: | 7 |
| Vapour density at 20 ºC: | Non-applicable * |
| Partition coefficient n-octanol/water 20 ºC: | Non-applicable * |
| Solubility in water at 20 ºC: | Non-applicable * |
| Solubility properties: | Non-applicable * |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |
| **Flammability:** | |
| Flash Point: | 59 ºC |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature: | 238 ºC |
| Lower flammability limit: | Not available |
| Upper flammability limit: | Not available |
| **Particle characteristics:** | |
| Median equivalent diameter: | Non-applicable |

**9.2 Other information:**

**Information with regard to physical hazard classes:**

| | |
|---|---|
| Explosive properties: | Non-applicable * |
| Oxidising properties: | Non-applicable * |
| Corrosive to metals: | Non-applicable * |
| Heat of combustion: | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |
| **Other safety characteristics:** | |
| Surface tension at 20 ºC: | Non-applicable * |
| Refraction index: | Non-applicable * |

*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|---|---|---|---|---|
| Not applicable | Not applicable | Risk of combustion | Avoid direct impact | Not applicable |

- CONTINUED ON NEXT PAGE -

## SECTION 10: STABILITY AND REACTIVITY (continued)

**10.5 Incompatible materials:**

| Acids | Water | Oxidising materials | Combustible materials | Others |
|---|---|---|---|---|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ($CO_2$), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  IARC: C.I.Acid Blue 9 (3); Eugenol (3); propan-2-ol (3); 2-butoxyethanol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

- CONTINUED ON NEXT PAGE -

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification | Acute toxicity | | Genus |
|---|---|---|---|
| propan-2-ol | LD50 oral | 5280 mg/kg | Rat |
| CAS: 67-63-0 | LD50 dermal | 12800 mg/kg | Rat |
| EC: 200-661-7 | LC50 inhalation | 72,6 mg/L (4 h) | Rat |
| 2-butoxyethanol | LD50 oral | 1200 mg/kg (ATEi) | Rat |
| CAS: 111-76-2 | LD50 dermal | 3000 mg/kg | Rabbit |
| EC: 203-905-0 | LC50 inhalation | 3 mg/L (ATEi) | |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | LD50 oral | 64 mg/kg | Rat |
| CAS: 55965-84-9 | LD50 dermal | 87,12 mg/kg | Rabbit |
| EC: Non-applicable | LC50 inhalation | 0,33 mg/L (4 h) | Rat |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification | Concentration | | Species | Genus |
|---|---|---|---|---|
| propan-2-ol | LC50 | 9640 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 67-63-0 | EC50 | 13299 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 200-661-7 | EC50 | 1000 mg/L (72 h) | Scenedesmus subspicatus | Algae |
| 2-butoxyethanol | LC50 | 1490 mg/L (96 h) | Lepomis macrochirus | Fish |
| CAS: 111-76-2 | EC50 | 1815 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 203-905-0 | EC50 | 911 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| C.I.Acid Blue 9 | LC50 | >1000 mg/L (96 h) | Leuciscus idus | Fish |
| CAS: 3844-45-9 | EC50 | >100 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 223-339-8 | EC50 | >100 mg/L (72 h) | Chlorella vulgaris | Algae |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | LC50 | >0.1 - 1 mg/L (96 h) | | Fish |
| CAS: 55965-84-9 | EC50 | >0.1 - 1 mg/L (48 h) | | Crustacean |
| EC: Non-applicable | EC50 | >0.1 - 1 mg/L (72 h) | | Algae |

**Chronic toxicity:**

| Identification | Concentration | | Species | Genus |
|---|---|---|---|---|
| 2-butoxyethanol | NOEC | 100 mg/L | Danio rerio | Fish |
| CAS: 111-76-2 EC: 203-905-0 | NOEC | 100 mg/L | Daphnia magna | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

- CONTINUED ON NEXT PAGE -

## SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Degradability | | Biodegradability | |
|---|---|---|---|---|
| propan-2-ol | BOD5 | 1,19 g O2/g | Concentration | 100 mg/L |
| CAS: 67-63-0 | COD | 2,23 g O2/g | Period | 14 days |
| EC: 200-661-7 | BOD5/COD | 0,53 | % Biodegradable | 86 % |
| 2-butoxyethanol | BOD5 | 0,71 g O2/g | Concentration | 100 mg/L |
| CAS: 111-76-2 | COD | 2,2 g O2/g | Period | 14 days |
| EC: 203-905-0 | BOD5/COD | 0,32 | % Biodegradable | 96 % |
| C.I.Acid Blue 9 | BOD5 | Non-applicable | Concentration | 41 mg/L |
| CAS: 3844-45-9 | COD | Non-applicable | Period | 28 days |
| EC: 223-339-8 | BOD5/COD | Non-applicable | % Biodegradable | 10 % |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

| Identification | Bioaccumulation potential | |
|---|---|---|
| propan-2-ol | BCF | 3 |
| CAS: 67-63-0 | Pow Log | 0.05 |
| EC: 200-661-7 | Potential | Low |
| 2-butoxyethanol | BCF | 3 |
| CAS: 111-76-2 | Pow Log | 0.83 |
| EC: 203-905-0 | Potential | Low |

**12.4 Mobility in soil:**

| Identification | Absorption/desorption | | Volatility | |
|---|---|---|---|---|
| propan-2-ol | Koc | 1.5 | Henry | 8,207E-1 Pa·m³/mol |
| CAS: 67-63-0 | Conclusion | Very High | Dry soil | Yes |
| EC: 200-661-7 | Surface tension | 2,24E-2 N/m (25 ºC) | Moist soil | Yes |
| 2-butoxyethanol | Koc | 8 | Henry | 1,621E-1 Pa·m³/mol |
| CAS: 111-76-2 | Conclusion | Very High | Dry soil | No |
| EC: 203-905-0 | Surface tension | 2,729E-2 N/m (25 ºC) | Moist soil | Yes |

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods:**

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|---|---|---|
| 20 01 29* | detergents containing hazardous substances | Dangerous |

**Type of waste (Regulation (EU) No 1357/2014):**

HP3 Flammable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

- CONTINUED ON NEXT PAGE -

## SECTION 14: TRANSPORT INFORMATION

**Transport of dangerous goods by land:**

With regard to ADR 2023 and RID 2023:

| | | |
|---|---|---|
| **14.1** | **UN number or ID number:** | UN1993 |
| **14.2** | **UN proper shipping name:** | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| **14.3** | **Transport hazard class(es):** | 3 |
| | Labels: | 3 |
| **14.4** | **Packing group:** | III |
| **14.5** | **Environmental hazards:** | No |
| **14.6** | **Special precautions for user** | |
| | Special regulations: | 274, 601 |
| | Tunnel restriction code: | D/E |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | 5 L |
| **14.7** | **Maritime transport in bulk according to IMO instruments:** | Non-applicable |

**Transport of dangerous goods by sea:**

With regard to IMDG 40-20:

| | | |
|---|---|---|
| **14.1** | **UN number or ID number:** | UN1993 |
| **14.2** | **UN proper shipping name:** | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| **14.3** | **Transport hazard class(es):** | 3 |
| | Labels: | 3 |
| **14.4** | **Packing group:** | III |
| **14.5** | **Marine pollutant:** | No |
| **14.6** | **Special precautions for user** | |
| | Special regulations: | 274, 223, 955 |
| | EmS Codes: | F-E, S-E |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | 5 L |
| | Segregation group: | Non-applicable |
| **14.7** | **Maritime transport in bulk according to IMO instruments:** | Non-applicable |

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2023:

| | | |
|---|---|---|
| **14.1** | **UN number or ID number:** | UN1993 |
| **14.2** | **UN proper shipping name:** | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| **14.3** | **Transport hazard class(es):** | 3 |
| | Labels: | 3 |
| **14.4** | **Packing group:** | III |
| **14.5** | **Environmental hazards:** | No |
| **14.6** | **Special precautions for user** | |
| | Physico-Chemical properties: | see section 9 |
| **14.7** | **Maritime transport in bulk according to IMO instruments:** | Non-applicable |

## SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-benzisothiazol-3(2H)-one, (ethylenedioxy)dimethanol, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

- CONTINUED ON NEXT PAGE -

## SECTION 15: REGULATORY INFORMATION (continued)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4) ; Reaction mass of 5-chloro-2-methyl-2H-isothiazol -3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13) ; 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; (ethylenedioxy)dimethanol (Product-type 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Regulation (EC) No 648/2004 on detergents:**

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

**Labelling for contents:**

| Component |
|---|
| perfumes |

Preservation agents: (ethylenedioxy)dimethanol (DIMETHYLOL GLYCOL), 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

**Cleanright (www.cleanright.eu) © A.I.S.E.:**

Keep away from children.

Keep away from eyes. If product gets into eyes rinse thoroughly with water.

People with sensitive or damaged skin should avoid prolonged contact with the product.

**Seveso III:**

| Section | Description | Lower-tier requirements | Upper-tier requirements |
|---|---|---|---|
| P5c | FLAMMABLE LIQUIDS | 5000 | 50000 |

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Shall not be used in:
—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
—tricks and jokes,
—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

- CONTINUED ON NEXT PAGE -

## SECTION 16: OTHER INFORMATION

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

H226: Flammable liquid and vapour.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.
Acute Tox. 3: H301 - Toxic if swallowed.
Acute Tox. 3: H331 - Toxic if inhaled.
Acute Tox. 4: H302 - Harmful if swallowed.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.
STOT SE 3: H336 - May cause drowsiness or dizziness.

**Classification procedure:**

Flam. Liq. 3: Calculation method (2.6.4.3)

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

http://echa.europa.eu
http://eur-lex.europa.eu

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -